



DisETrac: Distributed Eye-Tracking for Online Collaboration

Bhanuka Mahanama
bhanuka@cs.odu.edu
Old Dominion University
Norfolk, VA, USA

Vikas Ashok
vganjigu@cs.odu.edu
Old Dominion University
Norfolk, VA, USA

Mohan Sunkara
msunk001@odu.edu
Old Dominion University
Norfolk, VA, USA

Sampath Jayarathna
sampath@cs.odu.edu
Old Dominion University
Norfolk, VA, USA

Abstract

Coordinating viewpoints with another person during a collaborative task can provide informative cues on human behavior. Despite the massive shift of collaborative spaces into virtual environments, versatile setups that enable eye-tracking in an online collaborative environment (distributed eye-tracking) remain unexplored. In this study, we present DisETrac- a versatile setup for eye-tracking in online collaborations. Further, we demonstrate and evaluate the utility of DisETrac through a user study. Finally, we discuss the implications of our results for future improvements. Our results indicate promising avenue for developing versatile setups for distributed eye-tracking.

CCS Concepts

• **Human-centered computing** → **Interaction techniques**; **Collaborative interaction**; • **Information systems** → **Specialized information retrieval**; **Users and interactive retrieval**.

Keywords

Eye Tracking, Multi-user, Information Retrieval

ACM Reference Format:

Bhanuka Mahanama, Mohan Sunkara, Vikas Ashok, and Sampath Jayarathna. 2023. DisETrac: Distributed Eye-Tracking for Online Collaboration. In *ACM SIGIR Conference on Human Information Interaction and Retrieval (CHIIR '23)*, March 19–23, 2023, Austin, TX, USA. ACM, New York, NY, USA, 5 pages. <https://doi.org/10.1145/3576840.3578292>

1 Introduction

Human gaze and pupillary information have a wide range of applications, from human-computer interaction [Palinko et al. 2016; Papoutsaki et al. 2017] to psychology [De Silva et al. 2019; Mahanama et al. 2022a; Michalek et al. 2019] and behavioral science research [Jayawardena et al. 2020, 2019; Mahanama et al. 2021]. While many studies are single-user studies, often conducted in isolated environments, studies on collaborative behaviors have become increasingly popular with the advances in eye-tracking techniques

Permission to make digital or hard copies of part or all of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for third-party components of this work must be honored. For all other uses, contact the owner/author(s).
CHIIR '23, March 19–23, 2023, Austin, TX, USA
© 2023 Copyright held by the owner/author(s).
ACM ISBN 979-8-4007-0035-4/23/03.
<https://doi.org/10.1145/3576840.3578292>

[Kütt et al. 2019]. These studies examine the behavior of co-located participants engaging in collaborative activities by utilizing eye tracking to convey gaze or for analyzing collaborative behavior [Broz et al. 2012; Kütt et al. 2019; Zhang et al. 2017].

The advent of the COVID-19 pandemic transformed many collaborative activities into online interactions with participants spanning multiple geographical regions. Similar to co-located collaborations, one can use eye-tracking in online collaborative tasks to either investigate [Langner et al. 2022; Špakov et al. 2019] or convey cues for collaboration [Langner et al. 2022], which can be termed distributed eye-tracking. These distributed eye-tracking systems leverage the capability of eye-tracking data (gaze and pupillary) to provide insight into human cognition processes [Jayawardena et al. 2022] such as attention [Mahanama et al. 2022a]. As a result, distributed eye tracking plays a pivotal role in understanding human behavior in online collaborations.

Despite the popularity and importance of eye tracking in online collaborations, there is a lack of studies that propose and evaluate the versatility of a generalized setup. In our study, we attempt to address the issue by introducing a generalized setup for distributed eye tracking. A short demo of the proposed work is available at <https://youtu.be/yJli4VGbrHA>.

The contributions of our study are as follows,

- (1) Introduce DisETac: a distributed multi-user eye-tracking utilizing off-the-shelf eye-trackers
- (2) Demonstrate the utility of DisETrac through a prototype and evaluate the setup
- (3) Discuss our observations during the study and potential applications.

2 Related Work

Eye tracking can be used primarily to convey cues (often termed social cues) for initiating joint attention in a collaborative environment. The technique commonly referred to as gaze sharing (or shared gaze), involves visualizing the gaze positions of the collaborators indicating their attention. The shared gaze visualizations have proven to improve performance in collaborative environments such as meetings [Langner et al. 2022], writing [Kütt et al. 2019], search [Zhang et al. 2017], puzzle solving [D'Angelo and Gergle 2016], and code review [Cheng et al. 2022]. Even though it is straightforward to identify and react to cues (often termed social cues) such as gaze direction, online collaborations often require these social cues to be explicitly visualized in the medium of interaction.

Alternatively, eye tracking can be used to evaluate joint attention between participants of a collaborative task. Prior studies on joint attention tracking include virtual-human interactions via immersive experiences [Kim and Mundy 2012; Swanson and Siller 2014] and human-human social interactions [Ambrose et al. 2020]. These virtual-human interactions are based on the virtual reality paradigm using Heads-Up Display systems with eye-tracking optics and virtual avatar [Kim and Mundy 2012]. Similar studies have incorporated social video viewing tasks [Swanson and Siller 2014] using desktop eye trackers. Social interactions during human-human interactions [Ambrose et al. 2020] have used wearable eye-tracking devices to track participants simultaneously during an interactive task using two mobile eye-tracking devices.

Irrespective of the role of eye tracking in the joint attention task, the general setup remains common across the experiments. Moreover, we can collectively classify these applications of eye tracking under multi-user eye tracking.

Despite the increasing adoption of eye-trackers in research and for human-computer interaction, very limited studies have been conducted in the realm of multi-user eye-tracking [Mahanama 2022]. Eye-tracking studies have been predominantly single-user studies [Jayawardena et al. 2021; Mahanama et al. 2022b] often conducted with a participant in isolated environments, primarily due to eye-trackers being unable to track more than one person [Mahanama 2022]. Most of the studies in multi-user eye-tracking studies consider focusing primarily on co-located dyads and use eye-tracking data as a medium of sharing social cues [Cheng et al. 2022; He et al. 2021; Kütt et al. 2019; Špakov et al. 2019; Zhang et al. 2017] or investigating the collaborative behavior among the participants [Broz et al. 2012]. Despite the usefulness, none of the studies investigate the feasibility of the experimental setups for practitioners for situations beyond co-located dyads, often requiring the transmission of data across public networks.

In an attempt to develop a setup beyond dyads, [Mahanama 2022] proposed a commodity hardware-based solution capable of utilizing the recent advancements in appearance-based eye-tracking [Pathirana et al. 2022; Senarath et al. 2022]. Despite the scalability of the setup beyond dyads, the setup assumes the participants to be co-located. Moreover, the setup fails to leverage the far superior hardware and software specialized in eye-tracking [Pathirana et al. 2022] for generating eye-tracking data. Thus the requirement of a scalable setup with quantitative evaluation remains unexplored for multi-user eye-tracking on beyond-dyad non-co-located experiments.

3 Methodology

In the proposed multi-user distributed eye-tracking system, we identify two main components, (1) eye-tracking metric estimation and transmission, and (2) aggregation and processing. We facilitate communication between the two components through an MQTT broker (see Figure 1). We use common off-the-shelf eye-trackers (e.g., Gazepoint GP3) for the eye-tracking metric estimation task, SDK/ API to gather eye-tracking data, and transmit it to the MQTT server. When transmitting eye-tracking data, we add an originating timestamp to facilitate synchronization at the dashboard and a sequence number for reconstructing the original order of messages.

To eliminate the effects of clock drift, we periodically perform manual clock synchronization during the span of time-intensive experiments.

In the aggregation and processing state, we first subscribe to the eye-tracking data streams (i.e., gaze position and pupil dilation). Then we aggregate the messages together based on the attached origin timestamp and the sequence number. Finally, we compute aggregate eye-tracking measures and visualize the data on the dashboard.

3.1 Eye-Tracking Measures

For the simplicity of experiments, we use two types of measures in our proposed system, *individual* (e.g., gaze position, pupil dilation) and *aggregate* (joint attention distance). We introduce *joint attention distance* as the distance from the centroid of the gaze position to the gaze position of a particular user. We compute the joint attention distance (D) of the user x in a group comprising users U as,

$$D_x = S_x - \frac{\sum_{u \in U} S_u}{|U|} \quad (1)$$

where S_x is the eye-tracking surface coordinates of the user x . In a surface with a normalized 1-D coordinate system ($S \in [0, 1]$), our measure yields $D \in [0, 1]$, with lower values denoting overlapping gaze positions and higher values indicating deviations from the majority behavior. Similarly, we extend this for surface with 2-D normalized coordinates with an appropriate distance measure. For instance use of Manhattan ($L1$) distance will yield $D \in [0, 2]$.

3.2 Analytics Dashboard

The analytics dashboard provides a detailed real-time perspective on the ongoing experiment by combining visualizations of individual and aggregate measures. Further, the dashboard offers functionalities to monitor and control the experimental setup. We combine these functionalities in the prototype dashboard through four interactive visual elements (see Figure 2).

- (1) **Control Pane:** Monitor and control the experimental setup. Actions include starting/resuming ongoing experiments, exporting experiment data, and monitoring the status of devices connected to the system.
- (2) **Gaze Positions:** Real-time visualization of the user experiment surface with color-coded visualizations of the gaze positions of each user.
- (3) **Individual Metrics:** Color-coded visualizations of other individual measures for the participants in the experiment.
- (4) **Aggregate Metrics:** Visualization of aggregate measures of participants (e.g., joint-attention distance).

3.3 Utility Study

We demonstrate the utility of DisETrac evaluating joint attention in a collaborative environment. We recruited ten participants (4F) for the study and conducted the experiment in physically isolated pairs. We used a primary computer for hosting the MQTT broker and DisETrac dashboard. We provided participants with an identical computer setup (secondary) connected to an online collaboration session, including option for discussion. We used two GazePoint




Figure 1: Architecture of the Proposed DisETrac Distributed Eye-Tracking System.




Figure 2: DisETrac Distributed Eye-Tracking Dashboard Layout.

GP-3¹ eye-trackers operating at 60 Hz sampled at 30 Hz for extracting eye-tracking data. Then, we connected all devices (2 secondary computers, the primary running dashboard, and the MQTT broker) to the same network and synchronized all devices using the Network Time Protocol (NTP) before each round.

For the collaboration task, we provided the users with an online Jigsaw puzzle² with 40 pieces (see Figure 3). Before the experimental task, we allowed the users to familiarize themselves with the controls of the game. We allowed the participants to collaborate in their preferred languages and form game strategies during the

¹<https://www.gazept.com/product-category/gp3/>

²<https://www.jigsawexplorer.com/>

game. While collecting the aforementioned eye-tracking data, we measured the time taken for each pair to complete the task.

4 Results

We primarily test our proposed system’s performance using the latency of the setup, computed using the delay between eye-tracking data generation to the reception at the dashboard. Our results (see table 1) indicate that the proposed setup captured and transmitted eye-tracking data while maintaining a mean latency of **202.5** ms. Since we use a public network for our experiments, the latencies we report are subjected to delays due to the conditions in the network and the offered quality of service parameters, resembling a real-world scenario. We identify instances of abnormally high latencies (e.g. sessions 3 & 5) to mitigate potential impacts based on the network state at the time of the experiment.

Table 1: Data latency (gaze and pupil data) during the puzzle-solving task.

Session	Mean Latency (ms)	Max Latency (ms)
1	129.6 ± 63.7	462.0
2	350.3 ± 87.7	833.4
3	314.9 ± 556.8	4000.7
4	76.3 ± 425.9	41.0
5	141.6 ± 410.5	4615.7
Mean	202.5 ± 308.9	1990.56

We also examined the relationship between the eye-tracking metrics and the overall task by the time taken to complete the puzzle. For the individual measures, we computed the fixational measures (fixation count, fixation duration, and saccadic amplitude) for each participant and computed the average in each session. Our results indicate the existence of a weak correlation between the fixation count and task completion time (correlation coefficient of 0.54).

Table 2: Average fixation count and duration for experiment sessions.

Session	Fixations count	Fixation duration (s)	Saccadic amplitude	Total time (s)
1	517	0.707	444	308
2	496	0.561	451	148
3	1343	0.517	463	306
4	588	0.621	387	294
5	1141	0.619	444	744

We also examined the relationship between the total time taken by each dyad and against the joint attention distance (see Table 3). Our results indicated a weaker correlation between the two measures (correlation coefficient of 0.2).

Table 3: Joint attention distance during collaborative puzzle solving.

Session	\bar{D} (equation 1)	σ	Total time (s)
1	0.218	0.144	308
2	0.238	0.138	148
3	0.209	0.131	306
4	0.227	0.140	294
5	0.235	0.147	744

5 Conclusion

In this paper, we present DisETrac, a multi-user eye-tracking framework to demonstrate the utility of distributed eye-tracking. Our setup uses off-the-shelf eye-trackers connected through a public network for providing real-time insights on a multi-user eye-tracking experiment comprising remote participants.

Our objective is to analyze and interpret the attention of students in an online classroom lecture in order to accommodate the instructor’s teaching style to the integrated learning style of multiple students. This scenario is useful during virtual learning and in-person lectures, given that all students are looking at the same screen and from the same viewpoint of joint attention.

A key limitation of our experimental setups is that all participants to have identical setups and to be identical in terms of resolution and the content on screen. Experiments on complex screen configurations require additional steps in the aggregation to transform data into comparable metrics. In the future, we will experiment the viability of the non-homogeneous setup [Jayawardana et al. 2022, 2021] and data transfer process [Mahanama et al. 2020].

Acknowledgments

This work was supported in part by NSF CAREER 2045523. Any opinions, findings and conclusions or recommendations expressed in this material are the author(s) and do not necessarily reflect those of the sponsors.

References

- David Ambrose, Diane E MacKenzie, Parisa Ghanouni, and Heather F Neyedli. 2020. Investigating joint attention in a guided interaction between a child with ASD and therapists: A pilot eye-tracking study. *British Journal of Occupational Therapy* (2020), 0308022620963727.
- Frank Broz, Hagen Lehmann, Chrystopher L Nehaniv, and Kerstin Dautenhahn. 2012. Mutual gaze, personality, and familiarity: Dual eye-tracking during conversation. In *2012 IEEE RO-MAN: The 21st IEEE international symposium on robot and human interactive communication*. IEEE, 858–864.
- Shiwei Cheng, Jialing Wang, Xiaoquan Shen, Yijian Chen, and Anind Dey. 2022. Collaborative eye tracking based code review through real-time shared gaze visualization. *Frontiers of Computer Science* 16, 3 (2022), 1–11.
- Sarah D’Angelo and Darren Gergle. 2016. Gazed and confused: Understanding and designing shared gaze for remote collaboration. In *Proceedings of the 2016 CHI Conference on Human Factors in Computing Systems*. 2492–2496.
- Senuri De Silva, Sanuwani Dayarathna, Gangani Ariyaratne, Dulani Meedeniya, Sampath Jayarathna, Anne MP Michalek, and Gavindya Jayawardana. 2019. A rule-based system for ADHD identification using eye movement data. In *2019 Moratuwa Engineering Research Conference (MERCon)*. IEEE, 538–543.
- Zhenyi He, Keru Wang, Brandon Yushan Feng, Ruofei Du, and Ken Perlin. 2021. GazeChat: Enhancing Virtual Conferences with Gaze-aware 3D Photos. In *The 34th Annual ACM Symposium on User Interface Software and Technology*. 769–782.
- Yasith Jayawardana, Vikas G Ashok, and Sampath Jayarathna. 2022. StreamingHub: interactive stream analysis workflows. *arXiv preprint arXiv:2205.01573* (2022).



Figure 3: Collaborative Puzzle Solving Activity.

- Yasith Jayawardana, Gavindya Jayawardana, Andrew T Duchowski, and Sampath Jayarathna. 2021. Metadata-driven eye tracking for real-time applications. In *Proceedings of the 21st ACM Symposium on Document Engineering*. 1–4.
- Gavindya Jayawardana, Sampath Jayarathna, and Jian Wu. 2021. Analysis of Reading Patterns of Scientific Literature using Eye-Tracking Measures. (2021).
- Gavindya Jayawardana, Yasith Jayawardana, Sampath Jayarathna, Jonas Högström, Thomas Papa, Deepak Akkil, Andrew T Duchowski, Vsevolod Peysakhovich, Izabela Krejtz, Nina Gehrler, et al. 2022. Toward a Real-Time Index of Pupillary Activity as an Indicator of Cognitive Load. *Procedia Computer Science* 207 (2022), 1331–1340.
- Gavindya Jayawardana, Anne Michalek, Andrew Duchowski, and Sampath Jayarathna. 2020. Pilot study of audiovisual speech-in-noise (sin) performance of young adults with adhd. In *ACM symposium on eye tracking research and applications*. 1–5.
- Gavindya Jayawardana, Anne Michalek, and Sampath Jayarathna. 2019. Eye tracking area of interest in the context of working memory capacity tasks. In *2019 IEEE 20th International Conference on Information Reuse and Integration for Data Science (IRI)*. IEEE, 208–215.
- Kwanguk Kim and Peter Mundy. 2012. Joint attention, social-cognition, and recognition memory in adults. *Frontiers in human neuroscience* 6 (2012), 172.
- Grete Helena Kütt, Kevin Lee, Ethan Hardacre, and Alexandra Papoutsaki. 2019. Eye-write: Gaze sharing for collaborative writing. In *Proceedings of the 2019 CHI Conference on Human Factors in Computing Systems*. 1–12.
- Moritz Langner, Peyman Toreini, and Alexander Maedche. 2022. EyeMeet: A Joint Attention Support System for Remote Meetings. In *CHI Conference on Human Factors in Computing Systems Extended Abstracts*. 1–7.
- Bhanuka Mahanama. 2022. Multi-User Eye-Tracking. In *2022 Symposium on Eye Tracking Research and Applications*. 1–3.
- Bhanuka Mahanama, Yasith Jayawardana, and Sampath Jayarathna. 2020. Gaze-Net: Appearance-based gaze estimation using capsule networks. In *Proceedings of the 11th augmented human international conference*. 1–4.
- Bhanuka Mahanama, Yasith Jayawardana, Sundararaman Rengarajan, Gavindya Jayawardana, Leanne Chukoskie, Joseph Snider, and Sampath Jayarathna. 2022a. Eye Movement and Pupil Measures: A Review. *Frontiers in Computer Science* 3 (2022), 733531.
- Bhanuka Mahanama, Gavindya Jayawardana, Yasasi Abeysinghe, Vikas Ashok, and Sampath Jayarathna. 2022b. Multidisciplinary Reading Patterns of Digital Documents. In *2022 Symposium on Eye Tracking Research and Applications*. 1–2.
- Bhanuka Mahanama, Gavindya Jayawardana, and Sampath Jayarathna. 2021. Analyzing Unconstrained Reading Patterns of Digital Documents Using Eye Tracking. In *2021 ACM/IEEE Joint Conference on Digital Libraries (JCDL)*. IEEE, 282–283.
- Anne MP Michalek, Gavindya Jayawardana, and Sampath Jayarathna. 2019. Predicting ADHD using eye gaze metrics indexing working memory capacity. In *Computational Models for Biomedical Reasoning and Problem Solving*. IGI Global, 66–88.
- Oskar Palinko, Francesco Rea, Giulio Sandini, and Alessandra Sciutti. 2016. Robot reading human gaze: Why eye tracking is better than head tracking for human-robot collaboration. In *2016 IEEE/RSJ International Conference on Intelligent Robots and Systems (IROS)*. IEEE, 5048–5054.
- Alexandra Papoutsaki, James Laskey, and Jeff Huang. 2017. Searchgazer: Webcam eye tracking for remote studies of web search. In *Proceedings of the 2017 Conference on Conference Human Information Interaction and Retrieval*. 17–26.
- Primesh Pathirana, Shashimal Senarath, Dulani Meedeniya, and Sampath Jayarathna. 2022. Eye gaze estimation: A survey on deep learning-based approaches. *Expert Systems with Applications* 199 (2022), 116894.
- Shashimal Senarath, Primesh Pathirana, Dulani Meedeniya, and Sampath Jayarathna. 2022. Customer gaze estimation in retail using deep learning. *IEEE Access* 10 (2022), 64904–64919.
- Oleg Špakov, Diederick Niehorster, Howell Istance, Kari-Jouko Riih a, and Harri Siirtola. 2019. Two-way gaze sharing in remote teaching. In *IFIP Conference on Human-Computer Interaction*. Springer, 242–251.
- Meghan R Swanson and Michael Siller. 2014. Brief report: Broad autism phenotype in adults is associated with performance on an eye-tracking measure of joint attention. *Journal of autism and developmental disorders* 44, 3 (2014), 694–702.
- Yanxia Zhang, Ken Pfeuffer, Ming Ki Chong, Jason Alexander, Andreas Bulling, and Hans Gellersen. 2017. Look together: using gaze for assisting co-located collaborative search. *Personal and Ubiquitous Computing* 21, 1 (2017), 173–186.